



เหล็กเส้นกลม / เหล็กเส้นข้ออ้อย
 ROUND BAR / DEFORMED BARS

คุณภาพ Quality	ขนาด Size	น้ำหนัก (kg)		
		1 M.	10 M.	12 M.
เหล็กเส้นกลม SR24	6 mm.	0.222	2.22	2.664
	9 mm.	0.499	4.99	5.99
	12 mm.	0.888	8.88	10.656
	15 mm.	1.387	13.87	16.644
	19 mm.	2.226	22.26	26.712
	25 mm.	3.853	38.53	46.236
เหล็กเส้นข้ออ้อย SD30	12 mm.	0.888	8.88	10.656
	16 mm.	1.578	15.78	18.936
	20 mm.	2.466	24.66	29.592
	25 mm.	3.853	38.53	46.236
เหล็กเส้นข้ออ้อย SD40	10 mm.	0.617	6.17	7.404
	12 mm.	0.888	8.88	10.656
	16 mm.	1.578	15.78	18.936
	20 mm.	2.466	24.66	29.592
	25 mm.	3.853	38.53	46.236
	28 mm.	4.834	48.34	58.008
	32 mm.	6.313	63.13	75.756



เหล็กฉาก

ANGLES

ขนาด mm.	ความหนา t (mm.)	น้ำหนัก Kg./6M.	จำนวน Unit/Pack
25 x 25	3	6.7	200
30 x 30	3	8.2	150
	5	13.1	90
40 x 40	3	11	120
	4	14.5	90
	5	17.7	70
	6	21.3	50
50 x 50	3	14	60
	4	18	60
	5	23	50
65 x 65	6	26	40
	5	30	60
	6	35	60
75 x 75	8	46	48
	6	41	52
	9	60	36
90 x 90	12	78	24
	7	57	36
	10	80	25
100 x 100	7	64	34
	10	89	24
130 x 130	9	107	18
	12	140	14
	15	173	12
150 x 150	12	164	12



เหล็กวงน้ำ
STEEL CHANNEL

ขนาด (mm.) H x B	ความหนาของแต่ละด้าน		น้ำหนัก Kg./6 M.	จำนวน Unit/Pack
	t1	t2		
50 x 25	4	6	20	50
75 x 40	5	7	41	50
100 x 50	5	7	56	36
125 x 65	6	8	80	24
150 x 75	6.5	10	112	18
	9	12.5	144	12
180 x 75	7	10.5	128	16
200 x 80	7.5	11	148	16
200 x 90	8	13.5	182	10
250 x 90	9	13	208	8



เหล็กตัวซี

LIGHT LIP CHANNEL



เหล็กมาตรฐานอุตสาหกรรม (มอก.)

ลำดับ No.	รายการ List	น้ำหนัก Kg./6M.	จำนวน Unit/Pack
1	C ซีด มอก. 3" x 1.60	13-14±	120
2	C ซีด มอก. 3" x 2.0	15.5-16.5±	120
3	C ซีด มอก. 3" x 2.30	16.5-17.5±	120
4	C ซีด มอก. 4" x 1.60	16-17±	96
5	C ซีด มอก. 4" x 2.0	19-20±	96
6	C ซีด มอก. 4" x 2.30	20-21±	96
7	C ซีด มอก. 4" x 3.20	29-30±	96
8	C ซีด มอก. 5" x 2.30	24-25±	48
9	C ซีด มอก. 5" x 3.20	32-33±	48
10	C ซีด มอก. 6" x 2.30	26-27±	48
11	C ซีด มอก. 6" x 3.20	36.5-37.5±	48

หมายเหตุ สำหรับรุ่นเบา ไม่ใช้ใบรับรอง มอก.



เหล็กตัวซี

LIGHT LIP CHANNEL

เหล็กมาตรฐานอื่นๆ

ลำดับ No.	รายการ List	น้ำหนัก Kg./6M.	จำนวน Unit/Pack
1	C ซีด 3" x 1.20	8.80±	120
2	C ซีด 3" x 1.40	9-10±	120
3	C ซีด 3" x 1.60	11±	120
4	C ซีด 3" x 1.60 (ขาเต็ม)	12-13±	120
5	C ซีด 3" x 1.90	12.5-13.5±	120
6	C ซีด 3" x 1.90 (ขาเต็ม)	14.5-15.5±	120
7	C ซีด 3" x 2.10	14-15±	120
8	C ซีด 3" x 2.10 (ขาเต็ม)	16-17±	120
9	C ซีด 3" x 2.30	15-16±	120
10	C ซีด 3" x 2.45	16.5-17.5±	120
11	C ซีด 4" x 1.20	10.5-11.5±	96
12	C ซีด 4" x 1.40	11.5-12.5±	96
13	C ซีด 4" x 1.60 (ขาเต็ม)	16-17±	96
14	C ซีด 4" x 1.70	14-15±	96
15	C ซีด 4" x 1.80	15-16±	96
16	C ซีด 4" x 1.90	16-17±	96
17	C ซีด 4" x 1.90 (ขาเต็ม)	18.5-19.5±	96



เหล็กตัวซี

LIGHT LIP CHANNEL

เหล็กมาตรฐานอื่นๆ

ลำดับ No.	รายการ List	น้ำหนัก Kg./6M.	จำนวน Unit/Pack
18	C รีด 4" x 2.10	17.5-18.5±	96
19	C รีด 4" x 2.10 (ขาเต็ม)	21-22±	96
20	C รีด 4" x 2.30	19.5-20.5±	96
21	C รีด 4" x 2.40	21-22±	96
22	C รีด 4" x 2.45 (ขาเต็ม)	23-24±	96
23	C รีด 4" x 2.70 (ขาเต็ม)	25.5-26.5±	96
24	C รีด 4" x 2.90	25-26±	96
25	C รีด 4" x 2.90 (ขาเต็ม)	28-29±	96
26	C รีด 5" x 1.70	18-19±	48
27	C รีด 5" x 1.90	20.5-21.5±	48
28	C รีด 5" x 2.10	22-23±	48
29	C รีด 5" x 2.45	26-27±	48
30	C รีด 5" x 2.70	29-30±	48
31	C รีด 5" x 2.90	31-32±	48



ท่อเหล็กอบสังกะสี/ท่อประปา

GALVANIZES STEEL PIPE

ขนาด Size	ท่อประปา					
	BS-S			BS-M		
	ความหนา mm.	น้ำหนัก Kg./6M.	ราคา THB	ความหนา mm.	น้ำหนัก Kg./6M.	ราคา THB
½"	2.00	5.76	427	2.60	7.32	573
¾"	2.30	8.34	587	2.60	9.42	737
1"	2.60	12.00	825	3.20	14.58	1,097
1¼"	2.60	15.42	1,093	3.20	18.78	1,410
1½"	2.90	19.62	1,301	3.20	21.66	1,624
2"	2.90	24.90	1,669	3.60	30.60	2,286
2½"	3.20	34.98	2,204	3.60	39.30	2,817
3"	3.20	41.34	2,720	4.00	51.24	3,665
4"	3.60	60.00	3,810	4.50	75.00	5,340
5"	-	-	-	5.00	102.60	7,205
6"	-	-	-	5.00	121.80	8,621
ส่วนลด (Discount)	1/2" - 3" ๓ %			1/2" - 3" ๓ %		
	4" ขึ้นไป ๓ %			4" ขึ้นไป ๓ %		





ท่อเฟอร์นิเจอร์

STEEL FURNITURE ROUND PIPE

ขนาด Size	ความหนา mm.	น้ำหนัก Kg./6M.	ราคา THB
1-3/8"	1.40	6.91	189
1 1/2"	1.40	7.55	205
1-5/8"	1.40	8.21	222
1 3/4"	1.40	8.87	240
1-7/8"	1.40	9.52	260
2"	1.40	10.18	275
2-3/8"	1.40	12.14	330
2 1/2"	1.40	12.80	345
3"	1.40	15.42	418
3 1/2"	1.40	18.30	503



ท่อเหล็กดำ


STEEL BLACK PIPE

ขนาด Size	วงนอก (OD) mm.	ความหนา mm.	น้ำหนัก Kg./6M.
3/8"	17	1.20	2.60
1/2"	21.7	1.20	3.44
		1.40	3.96
		1.80	5.01
		2.00	5.50
3/4"	27.2	1.20	4.39
		1.40	5.09
		1.80	6.43
		2.00	7.09
1"	34.0	1.20	5.16
		1.40	5.98
		1.80	8.03
		2.00	8.86
1-1/4"	42.7	1.20	6.80
		1.40	7.89
		1.80	10.52
		2.00	11.68
1-1/2"	48.6	1.20	7.92
		1.40	9.20
		1.80	11.00
		2.00	13.17
		3.00	19.31



ท่อเหล็กดำ
STEEL BLACK PIPE

ขนาด Size	วงนอก (OD) mm.	ความหนา mm.	น้ำหนัก Kg./6M.
2"	60.5	1.20	10.19
		1.40	11.85
		1.80	15.13
		2.00	16.75
2-1/2"	76.3	1.80	19.34
		2.00	21.42
		3.00	31.69
3"	89.0	1.80	22.74
		2.00	25.21
		3.00	37.37
4"	114.3	1.80	29.51
		2.00	32.73
		3.00	48.65
5"	139.8	3.00	59.92
6"	165.2	3.00	71.02




แป๊ปแบน / ท่อแบน / ก่อ้งแบน
STEEL RECTANGULAR PIPES

ขนาด (Size)		ความหนา mm.	น้ำหนัก Kg./6M.
mm.	Inch		
50 x 25	2 x 1	1.20	7.94
		1.40	9.18
		1.80	11.58
		2.00	12.74
		3.00	18.18
75 x 38	3 x 1-1/2	1.20	12.12
		1.40	14.06
		1.80	18.02
		2.00	19.90
		3.00	28.92
100 x 50	4 x 2	1.20	16.41
		1.40	19.06
		1.80	24.28
		2.00	26.85
		3.00	39.35

แป๊ปเหลี่ยม / ท่อเหลี่ยม / ก่องเหลี่ยม

STEEL SQUARE PIPE



ขนาด (Size)		ความหนา mm.	น้ำหนัก Kg./6M.
mm.	inch		
19 x 19	3/4 x 3/4	1.20	3.96
		1.40	4.54
25 x 25	1 x 1	1.20	5.12
		1.40	5.66
		1.80	7.34
		2.00	8.03
32 x 32	1-1/4 x 1-1/4	1.20	6.70
		1.40	7.73
		1.80	9.71
		2.00	10.67
38 x 38	1-1/2 x 1-1/2	1.20	7.83
		1.40	9.31
		1.80	11.76
		2.00	12.63
		3.00	18.46
50 x 50	2 x 2	1.20	10.77
		1.40	12.48
		1.80	15.82
		2.00	17.46
		3.00	25.25
75 x 75	3 x 3	1.40	19.07
		1.80	24.30
		2.00	26.67
		3.00	39.36
100 x 100	4 x 4	1.80	32.74
		2.00	36.25
		3.00	53.45



เหล็กเอชบีเอ็ม

H-BEAM

ขนาด (mm.) H x B	ความหนาแต่ละด้าน		น้ำหนัก (Kg.)			
	t1	t2	1M.	6M.	9M.	12M.
100 x 100	6.0	8.0	17.20	103.2	154.8	206.4
125 x 125	6.5	9.0	23.80	142.8	214.2	285.6
150 x 150	7.0	10.0	31.50	189	283.5	378
175 x 175	7.5	11.0	40.20	241.2	361.8	482.4
200 x 200	8.0	12.0	49.90	299.4	449.1	598.8
250 x 250	9.0	14.0	72.40	434.4	651.6	868.8
300 x 300	10.0	15.0	94	564	846	1128
350 x 350	12.0	19.0	137	822	1233	1644
400 x 400	13.0	21.0	172	1032	1548	2064

เหล็กไอบีเอ็ม

I-BEAM



ขนาด (mm.) H x B	ความหนาแต่ละด้าน		น้ำหนัก (Kg.)			
	t1	t2	1M.	6M.	9M.	12M.
150 x 75	5.5	9.5	17.1	102.6	153.9	205.2
200 x 100	7.0	10.0	26	156	234	312
200 x 150	9.0	16.0	50.4	302.4	453.6	604.8
250 x 125	7.5	12.5	38.30	229.8	344.7	459.6
	10.0	19.0	55.5	333	499.5	666
300 x 150	8.0	13.0	48.3	289.8	434.7	579.6
	10.0	18.5	65.5	393	589.5	786
	11.5	22.0	76.8	460.8	691.2	921.6
350 x 150	9.0	15.0	58.5	351	526.5	702
	12.0	24.0	87.2	523.2	784.8	1046.4
400 x 150	10.0	18.0	72	432	648	864
	12.5	25.0	95.8	574.8	862.2	1149.6
450 x 175	11.0	20.0	91.7	550.2	825.3	1100.4
	13.0	26.0	115	690	1035	1380
600 x 190	13.0	25.0	133	798	1197	1596
	16.0	35.0	176	1056	1584	2112

เหล็กโวลต์ฟรังค์

WIDE FLANGE



ขนาด (mm.) H x B	ความหนาแต่ละด้าน		น้ำหนัก (Kg.)			
	t1	t2	1M.	6M.	9M.	12M.
150 x 75	5.0	7.0	14	84	126	168
148 x 100	6.0	9.0	21.1	126.6	189.9	253.2
200 x 100	5.5	8.0	21.3	127.8	191.7	255.6
194 x 150	6.0	9.0	30.6	183.6	275.4	367.2
250 x 125	6.0	9.0	29.6	177.6	266.4	355.2
244 x 175	7.0	11.0	44.1	264.6	396.9	529.2
300 x 150	6.5	9.0	36.7	220.2	330.3	440.4
294 x 200	8.0	12.0	56.8	340.8	511.2	681.6
350 x 175	7.0	11.0	49.6	297.6	446.4	595.2
340 x 250	9.0	14.0	79.7	478.2	717.3	956.4
400 x 200	8.0	13.0	66	396	594	792
390 x 300	10.0	16.0	107	642	963	1284
450 x 200	9.0	14.0	76	456	684	912
440 x 300	11.0	18.0	124	744	1116	1488
500 x 200	10.0	16.0	89.6	537.6	806.4	1075.20
488 x 300	11.0	18.0	128	768	1152.4	1536
600 x 200	11.0	17.0	106	636	954	1272
588 x 300	12.0	20.0	151	906	1359	1812
594 x 302	14.0	23.0	175	1050	1575	2100
700 x 300	13.0	24.5	183	1110	1665	2220
800 x 300	14.0	26.0	210	1260	1890	2520